



Colour

Detailed Specifications



WorkCentre Pro C2128 shown with One Tray and Cabinet and Office Finisher options.



WorkCentre Pro C2636 shown with High-Capacity Feeder and Advanced Office Finisher options.



WorkCentre Pro C3545 shown with Three Tray and Professional Finisher options.

WorkCentre® Pro C2128

WorkCentre® Pro C2636

WorkCentre® Pro C3545

OUTPUT SPEED—printing and copying

Black and white	28 images per minute (ipm) A4 (210 x 297 mm), 19 ipm B4 (250 x 353 mm), 17 ipm A3 (297 x 420 mm)	36 ipm A4 (210 x 297 mm) 22 ipm B4 (250 x 353 mm) 19 ipm A3 (297 x 420 mm)	45 ipm A4 (210 x 297 mm) 22 ipm legal (250 x 353 mm) 22 ipm A3 (297 x 420 mm)
Colour	21 ipm A4 (210 x 297 mm) 15 ipm B4 (250 x 353 mm) 13 ipm A3 (297 x 420 mm)	26 ipm A4 (210 x 297 mm) 17 ipm B4 (250 x 353 mm) 15 ipm A3 (297 x 420 mm)	35 ipm A4 (210 x 297 mm) 17 ipm B4 (250 x 353 mm) 17 ipm A3 (297 x 420 mm)

WorkCentre® Pro C2128/C2636/C3545

FIRST IMAGE OUT TIME – A4 size, from platen to centre tray

Black and white	6.1 seconds
Colour	8.5 seconds

NETWORK PRINTING—Smart™ Network Controller

Processor	Intel® Celeron® 733 MHz
Memory	128 MB RAM (256 MB max)
System Disk	Minimum 30 GB
Printer Languages (auto sensing/switching)	Postscript® 3 emulation TIFF PCL 5c emulation (PCL5e) PDF 1.3 LCDS, SCS, XES, and IPDS through third party transforms



Colour

WorkCentre® Pro C2128/C2636/C3545

NETWORK PRINTING – resolution, printing via CentreWare® software

Postscript emulation: 600 x 600 dpi: 1200 x 1200 dpi (not supported on A3 paper)

PCL emulation: 600 x 600 dpi

NETWORK PRINTING – printing features

Print Calibration
 Secure print
 Delay print (specific time)
 Sample set
 Booklet creation
 Cover selection
 Paper selection by attribute
 N-up
 Saddle-stitch booklet making (requires Professional Finisher)
 Hole Punch (requires Professional Finisher or Advanced Office Finisher)
 V Folding (requires Professional Finisher)
 Watermark
 Fit to new paper size
 Transparency interleave
 Banner sheet enable/disable
 Output tray selection
 Image quality (Enhanced, Standard, TonerSaver)
 Store and recall driver settings
 Reduce/enlarge
 Mirror image
 Margins

PRINT PROTOCOLS AND NETWORKS

Physical

Ethernet 100BaseT/10BaseT, 10Base2, 10Base5 via adapter
 USB printer port (optional)
 Wireless Ethernet (IEEE 802.11b) via third-party adapters

Operating Systems

Microsoft® Windows® 95, 98, Me® (Millennium), NT® 4.0, 2000, XP®, Windows Server 2003
 Citrix
 Novell® NetWare® 4.x, 5.x, 6
 Mac OS® 8.x, 9.x, OS X
 Solaris® 2.5.1, 2.6 and higher
 HP-UX® 10.2, 11.x
 IBM AIX® 4.2 and higher
 Linux® Intel®
 – Red Hat®
 – Caldera®
 – Mandrake™ (LPRNG printing infrastructure)
 – Corel® (i386)
 – TurboLinux® (i386)
 – SuSE® (i386)
 Linux Power PC®
 – TurboLinux Server 6.0.2

Continued



Colour

WorkCentre® Pro C2128/C2636/C3545

PRINT PROTOCOLS AND NETWORKS (Continued)

Network Protocols	TCP/IP: Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, NetBIOS, HTTP Netware: Bindery and NDS IPX/SPX, NDPS®/NEPS (with Server Gateway) AppleTalk®: EtherTalk® Microsoft Windows Networking over IP and NetBEUI		
Administration Protocols	DHCP, BOOTP, SNMP, WINS, DDNS, SLP® v2, HTTP, RARP, DHCP Autonet		
Fonts	Postscript 3 emulation: 136 Type 1 fonts, 2 Multiple Master fonts PCL: 80 scalable fonts, line printer bitmap font		
Print Drivers	Environment	PCL 5c	PostScript
	Windows 95/98/Me	Bidirectional (enhanced*)	Bidirectional (enhanced*)
	Windows NT 4.0	Bidirectional with user-selectable interface (standard** and enhanced)	Bidirectional with user-selectable interface (standard** and enhanced)
	Windows 2000/XP Windows Server 2003 (Microsoft certified)	Bidirectional with user-selectable interface (standard and enhanced)	Bidirectional with user-selectable interface (standard and enhanced)
Macintosh® System 8.x, 9.x, OS X	N/A	Enhanced PPD file	
Print Submission Tools	Environment	PostScript	PCL
	Solaris, 2.4, 2.5.1, 2.6 and higher; IBM AIX 4.2 and higher; LPRNG printing infrastructure; Linux Intel and Linux Power PC	Submission Tool with full feature set (includes administration, GUI/TTY print driver and software installation)	Submission Tool only
	TIFF/PDF: Supported in Windows 95/98/Me/NT 4.0/2000/XP Windows Server 2003	Submission Tool for any TIFF or PDF file	

DEVICE MANAGEMENT

Management Support	SNMP Version 1 and SNMP Version 2c trap over TCP/IP and IP MIB access (IETF-MIB II RFC 1213), Host Resources MIB RFC 2790, Printer MIB RFC 1759 v. 2
CentreWare Network Services	Device Discovery wizard (available at www.xerox.com) Device Administration wizard (available at www.xerox.com) Font Management Utility
Xerox CentreWare Web	<ul style="list-style-type: none"> • A Web-based server application for network administrators that permits Web browser-based device management from any workstation, whether running Windows or UNIX or any other operating system • Works with any SNMP-managed printer from any manufacturer • Provides help with device discovery and installations, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management

Continued

*Enhanced: Xerox custom graphical user interface.
** Standard: Driver based on Microsoft tree-structure user interface (includes Xerox features and functionality).



Colour

WorkCentre® Pro C2128/C2636/C3545

DEVICE MANAGEMENT (Continued)

Novell NDPS/NEPS (gateway for WorkCentre Pro)	Server gateway application: Centralised management tool provides streamlined installations via printer agents, automated printer driver installation and downloads, printer and job configuration, configurable event notification
Xerox CentreWare® for Unicenter TNG®	<ul style="list-style-type: none"> • Provides added identification to the general discovery performed by Unicenter TNG and the ability to see the device under a Unicenter TNG Business Process View • Provides full integration with event management and the choice to integrate with problem management and advanced Help Desk
Xerox CentreWare® for Tivoli® NetView®	<ul style="list-style-type: none"> • Provides for the identification of Xerox N-Series printers and WorkCentre Pro multifunction devices in the general discovery performed by Tivoli NetView • Provides the ability to see the discovered Xerox printers/devices in a Xerox Printers Set in addition to the Printers SmartSet • Provides full integration with the NetView and Event Browser and Tivoli Enterprise Console (TEC)
Xerox CentreWare® MC for Microsoft Management Console (MMC)	CentreWare MC Snap-in supports printer discovery and management via a Microsoft Management Console (MMC) link to an embedded Web server. It is a general-purpose management display framework for hosting administrative tools
Xerox CentreWare® for HP® OpenView®	<ul style="list-style-type: none"> • Provides for the identification of Xerox N-Series printers and WorkCentre Pro multifunction devices in the general discovery performed by HP OpenView • Provides the ability to see the current status of discovered Xerox printers/devices under a Xerox PrinterMap and IP Map via colour-coded icons • Provides traps and message updates to the OpenView alarm browser and the ability to launch CentreWare Internet Services for device management directly from OpenView
Xerox Device Types for SAP R/3 Environment	<p>Simplifies printing in SAP R/3 environments by providing users of SAP R/3 v4.6C, 4.x and 3.x ERP applications with enhanced WorkCentre Pro printing functionality (PostScript and PCL):</p> <ul style="list-style-type: none"> – Simplex or duplex printing – Finishing—single or dual stapling – Tray pull location from any tray – Print security via PIN ID capability at the WorkCentre Pro
Xerox SAP R/3 Intelligent Barcode Utility (Optional) Purchase via www.font.net	<p>Provides built-in process intelligence that allows the printing of barcodes on any appropriately configured PostScript printer on the SAP R/3 4.x (or higher) network. Used in conjunction with Xerox Device Types for SAP R/3 Environment and Xerox Font Center Barcode Fonts. Utility automatically calculates checksum, placement of start/stop characters, and encoding of data string Web server embedded on SMart network controller</p> <ul style="list-style-type: none"> – Tray status/contents – Consumables status
Xerox Barcode Pro PS (optional) Purchase via www.font.net	<p>Enables intelligent PostScript printing on Xerox multifunction printers by storing Xerox software as well as the barcode fonts on the printer hard disk. Enables the printing of barcodes from any application (client or mainframe) that supports PostScript printing. Automatically calculates the check digit, places start/stop and middle bar characters in the data string, compresses and encodes the data string, and rotates the barcode through 90 or 270 degrees.</p>



Colour

WorkCentre® Pro C2128/C2636/C3545

CENTREWARE® INTERNET SERVICES – integrated device Web page

Device Status	Web server embedded on SMart network controller – Tray status/contents – Consumables status
Print Queue Viewing	Complete job print queue management—hold, release, promote and delete
Job Submission	Print-ready files (PS, PCL, TIFF, PDF) Output feature selection
Device Administration	Allows simple, remote installation setting of configuration options and management of the device
Browsers	Windows XP, 2000/NT 4.0/Me/98/95: Netscape Navigator® 4.x and above, Microsoft Internet Explorer 4.x and above Macintosh 9.x/OS X: Netscape Navigator 6.x Linux: Netscape® 6.x
NETWORK SCANNING (optional)	
Capability	Colour Scanning, Greyscale, Black and White
Concurrency	Scan while the system is printing copy or network print jobs, or while it is transferring scan to network or fax jobs
Input Speed	Scan at 32 ipm black and white/22 ipm colour A4 (210 x 297 mm long edge feed)
Resolutions	600 x 600 dpi 400 x 400 dpi 300 x 300 dpi 200 x 200 dpi Bit depth: 1 bit (black and white), 8 bit (greyscale), 24 bit (colour)
Maximum Scan Area	297 x 432 mm
Secure Access and Authentication	Optional secure device login with network user name and password Supports: Kerberos (Windows 2000/UNIX/Windows Server 2003), SMB (Windows NT 4.0/Windows 2000/Windows Server 2003), Novell Netware 4.x/5.x/6.x Optional PIN-based guest login
Network Protocol	Novell (NCP via IPX/SPX) FTP via TCP/IP Microsoft SMB via TCP/IP
File Formats	TIFF 6.0 with JPEG, G4 MMR compression (single page or multiple pages) PDF with G4 MMR, MRC, or JPEG compression JPEG
Document Management Fields	One to six user-programmable metadata fields per scan job Customised fields viewed on user interface Variable data entered using virtual keyboard

Continued



Colour

WorkCentre® Pro C2128/C2636/C3545

NETWORK SCANNING (optional) (Continued)

Supported Scan Destinations (Varies by scanning software options purchased)	<ul style="list-style-type: none"> Scan to network server Scan to remote e-mail destinations via direct SMTP addresses or via various network scanning software options Scan to application (workflow, Electronic Document Management System/Repositories) Scan to Microsoft Exchange 2000 Web Folders Scan to Web URL Scan to remote printer Scan to PC Desktop™ (Standard and Deluxe editions) Scan to Windows XP client via WIA (Windows Image Acquisition)
Scan-to-PC Desktop Standard	<ul style="list-style-type: none"> – A desktop and server-based offering that provides document imaging, archiving, editing and organization tools – ScanSoft PaperPort SE 2.0 – image viewing and file management software – ScanSoft OmniPage SE 1.0 (for Distribution Server installation) and ScanSoft OmniPage SE 2.0 (for desktop/client installation) – OCR and file format conversion software – Image Retriever – provides fully automated retrieval of scanned images direct from a scan enabled Xerox WorkCentre Pro to individual desktops.
Scan-to-PC Desktop Deluxe	<ul style="list-style-type: none"> – A desktop and server based offering that provides document imaging, archiving, editing and organization tools – ScanSoft PaperPort Pro 9.0 Office – image viewing and file management software – ScanSoft OmniPage Pro 11.0 (for Distribution Server installation) and ScanSoft OmniPage Pro 12.0 Office (for desktop/client installation) – OCR and file format conversion software – Image Retriever – provides fully automated retrieval of scanned images direct from a scan enabled Xerox WorkCentre Pro to individual desktops. Also includes an E-Mail inbox polling capability.
E-MAIL – (included with Network Scanning Option)	
Capability	<ul style="list-style-type: none"> Colour scanning, Greyscale, Black and White Direct document e-mail from device Manual or directory Exchange/Notes/LDAP address searching
Resolutions	<ul style="list-style-type: none"> 600 x 600 dpi 400 x 400 dpi 300 x 300 dpi 200 x 200 dpi Bit Depth: 1 bit (black and white), 8 bit (greyscale), 24 bit (colour)
Maximum Scan Area	297 x 432 mm

Continued



Colour

WorkCentre® Pro C2128/C2636/C3545

E-MAIL – (Continued)

Network Protocol	SMTP, MIME encoded
Authentication	Device login with network user name and password Supports Kerberos (Windows NT 4.0/UNIX/Windows 2003 Server), SMB (Windows NT 4.0/Windows 2000/Windows 2003 Server), and Novell NetWare 4.x/5.x/6.x Optional PIN-based guest login
Directory Access	Corporate address list via LDAPv3 Downloaded address list (comma-separated file format)
File Formats	TIFF 6.0 with JPEG, G4 MMR compression (single page or multiple pages) PDF, MRC, JPEG, G4 MMR JPEG

INTERNET FAX (optional)

Capability	Ability to send documents in colour Direct document transmission to remote Internet Fax machines or e-mail clients (SMTP) Reception and automatic printout of documents in colour and black and white sent via e-mail from remote Internet Fax machines or e-mail clients
Maximum Scan Area	297 x 432 mm
Authentication	Optional secure device login with network user name and password Supports Kerberos (Windows 2000/UNIX/Windows 2003 Server), SMB (Windows NT 4.0/Windows 2000/Windows 2003), and Novell NetWare 4.x/5.x/6.x Optional PIN-based guest login
Address Directory Access	Corporate address list via LDAPv3 Downloaded address list (comma-separated file format)
File Formats	TIFF-FX Profiles S, F with G3 MH, G4 MMR, or JPEG compression PDF with G3 MH, G4 MMR, or JPEG compression
Resolutions	600 x 600 dpi 400 x 400 dpi 300 x 300 dpi 200 x 200 dpi 200 x 100 dpi Bit Depth: 1 bit (black and white), 8 bit (greyscale), 24 bit (colour)
Network Protocols	SMTP POP3 (RFC 1939)
Compliance	ITU-T T.37 compliant



Colour

WorkCentre® Pro C2128/C2636/C3545

NETWORK FAX SERVER INTEGRATION (optional)

Fax Send Features	<ul style="list-style-type: none"> One- or two-sided scanning Phone number entry Add to send list (50 numbers maximum) Delay send (specific time) Resolution selection (fine, standard) Image quality selection (normal, photo and text, photo, background suppression, seven levels of darker/lighter seven levels of sharpness)
Fax Print Features	<ul style="list-style-type: none"> One- or two-sided printing Quantity Staple on/off Collate on/off Finisher output tray selection (top tray or main tray) Secure print on/off
Authentication	<ul style="list-style-type: none"> Optional secure device login with network user name and password Supports Kerberos (Windows 2000/UNIX/Windows Server 2003), SMB (Windows NT 4.0/Windows 2000/ Windows Server 2003), and Novell NetWare 4.x/5.x/6.x Optional PIN-based guest login
Fax Vendors	<ul style="list-style-type: none"> Varies by location For details, visit www.xerox.com
FAX (optional)	
	ITU (CCITT) group 3 quality/resolution superfine/600x600, fine/200x200, standard/200x100 dpi
Speed/Modem(s)	V.34 modem(s): 33,600 bps. Less than four seconds per page transmission time. ISDN via third-party adapter.
Speed/Compression	MMR/MR/MH/G3/SuperG3
Fax Send Features	<ul style="list-style-type: none"> Auto fax transmission reduction Page-by-page job status at the machine Fax from platen Delay start Automatic memory resend Automatic cover sheets Priority send Broadcast
Fax Receive Features	<ul style="list-style-type: none"> One- or two-sided printing, stapled or unstapled Reduction at reception to fit available paper Junk Fax prevention
Fax Reports	<ul style="list-style-type: none"> Activity report Broadcasting Dial directory Transmission confirmation Pending fax Mailbox

Continued



Colour

WorkCentre® Pro C2128/C2636/C3545

FAX (optional) (Continued)

Fax Receive Mailboxes	Up to 200 password-protected mailboxes
Auto Dialing	Auto redial, Batch send
Single Line option	Total of 200 speed dials (single-line option) Up to 200 dial groups with up to 200 recipients per group (single line option)
Dual Line option	1,000 speed dials (dual line option) Up to 400 dial groups with up to 400 recipients per group (dual line option)

COPYING

Document Scanner	Duplex Automatic Document Feeder with 50-sheet capacity
Sides (input:output)	1:1, 1:2, 2:2 and 2:1
Quantity	1 to 9,999
Resolution	600 x 600 dpi
Concurrency	Concurrent scanning and printing
Digital Imaging	AutoIQ automatic digital image quality control Auto rotation 90° or 270° when needed Image shift Edge erase Auto centering Original type selection (text, photo, text and photo, map, inkjet, highlighted) Lighter/darker Background suppression Auto contrast Sharpness Color balance, color shift
Copy Pre-collation	256 MB RAM standard
Memory	30 GB disk storage
Reduction/Enlargement	Variable zoom from 25% to 400% in 1% increments Anamorphic zoom Six user-programmable percentages

Continued



Colour

WorkCentre® Pro C2128/C2636/C3545

COPYING (Continued)

Special Features

Auto paper select
 Auto reduction/enlargement to fit selected paper size
 Auto registration
 Auto tray switching
 Automatic job recovery
 Auto colour
 Full colour
 Single colour
 Copy calibration
 Booklet creation
 Multi-up—up to six columns by six rows maximum for letter A4/210 x 297 mm
 Repeat image
 Transparency dividers
 Negative image
 Mirror image
 Covers insertion (front only, front and back, back only; blank or printed)
 Build Job (enables special programming for different pages in one document—can be used for inserts, different paper sources, and mixing input from the document glass and the document feeder)
 Store and recall job programming
 Job interrupt
 Bound document copying
 Sample set
 Mixed-size originals
 Hole Punch (requires Professional Finisher or Advanced Office Finisher)
 V-Folding (requires Professional Finisher)
 Saddle-stitch booklets (requires Professional Finisher)
 Stapling (single/dual/quad) requires Advanced Office Finisher or Professional Finisher

Foreign Device Interface/
RS232 Port (optional)

Interface to third-party access control devices and coin machines

PAPER HANDLING – Duplex Automatic Document Feeder

Capacity*	50 sheets
Speed	32 images per minute A4/210 x 297 mm long edge feed (LEF)
Paper Sizes Sensed	A5/148 x 210 mm/long edge feed (LEF) or short edge feed (SEF) A4/210 x 297 mm (LEF or SEF) Legal/216 x 356 mm (SEF) A3/297 x 420 mm (SEF) B5/182 x 257 mm (SEF)
Weights	50 to 120 gsm

*Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks.



Colour

WorkCentre® Pro C2128/C2636/C3545

PAPER HANDLING – Bypass Tray

Capacity*	100 sheets
Sizes	A6/105 x 148 mm to 320 x 483 mm
Weights	60 to 220 gsm
Types	Same as front-loading trays plus label stock lightweight envelopes

PAPER HANDLING – Front-Loading Paper Tray (Standard)

Tray 1	520 sheets
Sizes	User adjustable from A5/148 x 210 mm to A3/297 x 420 mm
Weights	64 to 220 gsm
Types	Plain paper Letterhead Bond Preprinted forms Cover Hole-punched Recycled paper Transparencies Heavyweight Glossy

PAPER HANDLING – Input Tray Options – One Tray and Cabinet Option

Tray 2	520 sheets
Sizes	User adjustable from A5/148 x 210 mm to A3/297 x 420 mm
Weights	64 to 220 gsm
Types	Plain paper Letterhead Bond Preprinted forms Cover Hole-punched Recycled paper Transparencies Heavyweight Glossy

Total Capacity	1,140 sheets (Includes Tray 1, Tray 2 and Bypass Tray)
-----------------------	--

*Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks.



Colour

WorkCentre® Pro C2128/C2636/C3545

PAPER HANDLING – Input Tray Options – Three Tray Option (Tray One and Two plus Two-Tray Module)

Tray 2 – Tray 4	520 sheets
Sizes	User adjustable from A5/148 x 210 mm to A3/297 x 420 mm
Weights	64 to 220 gsm
Types	Plain paper Letterhead Bond Preprinted forms Cover Hole-punched Recycled paper Transparencies Heavyweight Glossy
Total Capacity*	2,180 sheets (Includes Tray 1, Tray 2, Trays 3-4 and Bypass Tray)

PAPER HANDLING – Input Tray Options – High-Capacity Feeder Option

Tray 2	520 sheets
Sizes	User adjustable from A5/148 x 210 mm to A3/297 x 420 mm
Tray 3 – Tray 4	2,000 sheets
Sizes	B5, A4
Weights	64 to 220 gsm
Types	Plain paper Letterhead Bond Preprinted forms Cover Hole-punched Recycled paper Transparencies Heavyweight Glossy
Total Capacity*	3,140 sheets (Includes Tray 1, Tray 2, Bypass Tray and High Capacity Feeder)

OUTPUT – Centre Stacking Tray

Stacking Tray	400 sheets (200 sheets with finisher option)
Sizes	A6/105 x 148 mm to 320 x 483 mm

OUTPUT OPTIONS – Convenience Stapler Option

Capacity*	Up to 50 sheets (5,000 staples per cartridge)
-----------	---

*Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks.



Colour

WorkCentre® Pro C2128/C2636/C3545

OUTPUT OPTIONS – Office Finisher Option

Stacking Tray	1,000 sheets
Sizes	B5/182 x 257 mm to A3/297 x 420 mm
Weights	64 to 105 gsm
Stapling	Single and dual Auto stapling (50 sheets maximum) – 80 gsm A3, A4, B4, B5, Letter, Legal and Tabloid sizes supported

OUTPUT OPTIONS – Advanced Office Finisher Option

Top Tray	500 sheets
Stacking – Stapling Tray	3,000 sheets
Sizes	B5 to A3
Weights	60 to 220 gsm
Stapling	Single, dual and quad Auto stapling (50 sheets maximum) – 90 gsm A3, A4, B4 and B5 Letter, Legal, Tabloid, sizes supported
Hole Punch	Two and four hole punch

OUTPUT OPTIONS – Professional Finisher Option

Top Tray	500 sheets
Stacking – Stapling Tray	1,500 sheets
Sizes	B5 to A3
Weights	60 to 220 gsm
Stapling	Single, dual, and quad Auto stapling (50 sheets maximum) – 90 gsm A3, A4, B4 and B5 sizes supported
Booklets – Booklet Tray	Saddle-stitch up to 15 sheets (169 gsm plus fourteen 90 gsm sheets) V-fold up to 5 sheets A3, A4, Letter, Legal, Tabloid supported
Hole Punch	Two and four hole punch

ACCOUNTING

Accounting with Third-Party Server Applications (optional)	Up-to-the-minute data on how the system is being used; comprehensive usage tracking and reporting; print, scan, copy and fax
Internal Auditor	Tracks black and colour copy and print usage, supports up to 2,000 user accounts or 300 general accounts Note: Option to upload/download account and usage data via direct connection using Windows-based software. Limits user to black-only copy and print

WorkCentre® Pro C2128

WorkCentre® Pro C2636

WorkCentre® Pro C3545

MONTHLY DUTY CYCLE

80,000

105,000

135,000

*Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks.



Colour

WorkCentre® Pro C2128/C2636/C3545

ACCESSORIES

Office Finisher
 Advanced Office Finisher
 Professional Finisher
 One-line fax option
 Two-line fax option
 Foreign Device Interface
 Network Accounting Enablement
 Network Scanning With E-Mail
 Network Fax Server Integration and Internet Fax
 Image Disk Overwrite Security
 Scan to PC Desktop Client Software (Standard or Deluxe)
 USB Port Printing
 High Capacity Feeder option
 Three Tray option
 One Tray and Cabinet option

ELECTRICAL REQUIREMENTS

220–240 V Nominal, 50 Hz, 10A

POWER CONSUMPTION

Running	< 858 watts
Standby	< 277 watts
Low-Power Mode	< 157 watts
Sleep Mode	< 80 watts
Warm-up	3 minutes (maximum)
Low-Power Recovery	30 seconds (maximum)

ENVIRONMENTAL CONSIDERATIONS

Required Temperature Range	10° to 32° C
Required Relative Humidity	10% to 85%
Noise Emission	34.9 dB(A) standby 55.1 dB(A) running 66.7 dB(A) impulse
Heat Emission	2,927 BTU/Hr running 946 BTU/Hr standby



Colour

WorkCentre® Pro C2128/C2636/C3545

DIMENSIONS AND WEIGHT	Width	Depth	Height	Weight
Fully Configured	1,346 mm	636 mm	1,116 mm	257 kg
	1,815 mm	1,210 mm	1,981 mm	

CERTIFICATIONS

FCC Class A Compliant (U.S.), DOC Class A Compliant (Canada)
89/336/EEC (Europe)
UL Listed (UL 1950, Third Edition)
CB Certified (IEC 60950/EN 60950)
73/23/EEC (Europe)
Novell Tested and Approved
Windows Hardware Quality Labs

SUPPLIES

	Description	Order Number
Toner Cartridges	Black	006R01175
	Cyan	006R01176
	Magenta	006R01177
	Yellow	006R01178
	Drum Cartridges	013R00588
	Waste Toner Container	008R12903
	Fuser Module (220 Volt)	008R12934
Staple Refills	Office Finisher	008R12915
	Advanced Office/Professional Finisher	008R12941
	Professional Finisher (Booklet maker)	008R12925
	Convenience Stapler	008R07645

