

WorkCentre™  
4250 / 4260  
A4  
Black and White  
Multifunction System



# Xerox WorkCentre™ 4250 / 4260 Multifunction System

Productivity meets affordability



# WorkCentre™ 4250 / 4260 Multifunction System

**Accelerate office productivity** with the Xerox WorkCentre 4250/4260. It combines world-class copy, print, colour scan and fax capabilities with exceptional reliability and ease of use. It's ideal for the busy office that needs departmental capabilities in a value packed A4 system.

## Value through extensive features

The competitively priced WorkCentre 4250/4260 multifunction system is loaded with features to help you manage costs without sacrificing power.

- **Tailored to your business requirements.** Configurations ranging from desktop to floor standing models provide copy, print, scan, email and fax functions. Larger finishing capabilities include collation, stapling and paper input of up to 3,100 sheets.
- **Speed to handle heavy demand.** Copy and print as fast as 43/53 ppm, with the first page out in as little as 8/6 seconds.
- **Colour scan capabilities.** You can communicate quickly using colour via email or digital file distribution without the additional cost.
- **Usage counters.** Lets you track and analyse device usage by function for greater cost control.

## Easy to install, use and maintain

Unprecedented ease of use and reliability from a truly robust and integrated multifunction.

- **Network-ready.** Easy to install on Microsoft Windows, Apple Macintosh and Linux networks. New global print drivers from Xerox greatly simplify driver management.
- **Eases network management chores.** Enabled with remote device monitoring and troubleshooting, using CentreWare IS embedded web server and CentreWare Web, as well as third party management systems.
- **Walk-up ease of use.** Includes an intuitive icon-based colour touch screen with easy instructions and Help screens for copy, scan and fax jobs. You can print from a USB memory drive or scan and store for convenient printing later – no computer needed.
- **Keep confidential documents safe.** Password-protected secure print and encrypted hard disk ensure security.

**Get everything you would expect on a powerful Xerox device, but get it in a small size at a small price!**

## Save Money

- Automatic two-sided printing saves paper.
- Fax forward to email feature lets you avoid extra printing.
- Toner cartridge and imaging unit are separate consumables maximising the life of each.
- Consistent energy save mode reduces your utility bill.

## Save Time

- Due to its small size, it can be located conveniently close to users.
- ID Card Copy scans both sides of an ID card and prints them face-up on a single sheet of paper.
- Its Print Around feature automatically holds any job missing resources (such as a different paper size), and prints the next job in the queue.
- Multiple functions can be accessed at the same time: scan while printing or receiving an inbound fax, and interrupt a print job to make a copy.

### WorkCentre 4250 / 4260 Quick Facts

- Copy and print up to 43/53 ppm
- Standard automatic two-sided copy/print/scan
- 600 x 600 dpi (up to 1200 x 1200 enhanced image quality)
- 200,000 pages /month duty cycle (4250)  
250,000 pages/month duty cycle (4260)
- 256 MB memory (expandable to 512 MB) plus 80 GB Hard Drive
- 100-sheet Duplex Automatic Document Feeder



Print / Copy / Scan / Fax / Email



216 x 356 mm

43/53 ppm



### Dimensions (WxDxH)

4250U/4250S/4260S:  
622 x 483 x 648 mm; weight: 44 kg  
4250X/4260X: 622 x 483 x 648 mm; weight: 44.5 kg  
4250XF/4260XF: 1003 x 660 x 1168 mm; weight: 93 kg



- 1 100-sheet Duplex Automatic Document Feeder scans two-sided documents in sizes up to 216 x 356 mm.
- 2 Full 216 x 356 mm platen glass allows you to scan up to legal-size documents without removing staples.
- 3 80 GB internal hard drive lets you handle more tasks at the device. Use the Save Print feature to keep frequently used documents available for quick printing on the go.
- 4 Advanced faxing capabilities include Embedded Fax and LAN Fax (for paperless faxing right from your desktop), plus Secure Fax Receive and Fax Forward to email.
- 5 USB direct printing/scanning lets you save to or print directly from a USB memory drive.
- 6 100-sheet bypass tray.
- 7 Standard 500-sheet tray.
- 8 Additional 500-sheet tray (standard on XF configuration).
- 9 2,000-sheet High Capacity Feeder boosts total paper capacity up to 3,100 sheets.
- 10 Finisher collates and staples sets of up to 50 pages. Available for both desktop and floor standing models.



### Powerful scanning solutions

- **Scan to email.** Lets you route files to email recipients directly from the touch screen.
- **Network scanning.** Uses convenient templates to send scans to predefined locations.
- **Copy to hard drive.** Lets you copy files to the device's hard drive for easy retrieval.
- **Scan to USB.** Sends scanned images directly onto a portable USB storage device.



**So advanced, it's simple.** The full-colour touch screen redefines walk-up ease-of-use. Whether printing, copying, scanning, faxing or emailing, the bright, colourful display guides you from start to finish with easily recognisable icons.



### WorkCentre™ 4250 / 4260 Configurations

#### WorkCentre 4250U

- Automatic two-sided copy
- 600-sheet input capacity

#### WorkCentre 4250S/4260S

- Automatic two-sided copy/print/scan
- 600-sheet input capacity
- Colour Scan to Email, Scan to Network, Scan to USB memory drive

#### WorkCentre 4250X/4260X

- 4250S/4260S plus:**
- Embedded Fax and LAN Fax

#### WorkCentre 4250XF/4260XF

- 4250X/4260X plus:**
- 3,100-sheet input capacity
  - Finisher for 50-sheet stapling

### Options

- Network Accounting Kit
- Network Fax Server Kit
- 1 Line Fax Kit
- 256 MB memory upgrade
- Additional 500-sheet tray
- Cabinet Stand (with storage)
- Stand (without storage)
- 2,000-sheet High Capacity Feeder
- Integrated Finisher (500-sheet, 50-sheet stapler)
- Foreign Device Interface Kit
- Xerox Secure Access Kit

	WorkCentre 4250U	WorkCentre 4250S/4260S	WorkCentre 4250X/4260X	WorkCentre 4250XF/4260XF
<b>Speed</b>	4250: Up to 43 ppm (A4); 4260: Up to 53 ppm (A4)			
<b>Duty Cycle</b>	4250: Up to 200,000 pages/month; 4260: Up to 250,000 pages/month			
<b>Paper Handling</b> Paper input	<b>Duplex Automatic Document Feeder:</b> 100 sheets; Custom Sizes: 70 x 152 mm to 216 x 356 mm <b>Bypass Tray:</b> 100 sheets; Custom sizes: 99 x 147 mm to 216 x 356 mm <b>Tray 1:</b> 500 sheets; Custom sizes: 99 x 147 mm to 216 x 356 mm			
	Optional			<b>Tray 2:</b> 500 sheets
	Optional			<b>High Capacity Feeder:</b> 2,000 sheets
Paper output	500 sheets, automatic two-sided			
Finishing	Optional			<b>Finisher:</b> 500-sheet tray, 50-sheet stapling
<b>Print</b>				
First-page-out-time	NA	4250: As fast as 8 seconds; 4260: As fast as 6 seconds		
Print resolution	NA	600 x 600 dpi (up to 1200 x 1200 enhanced image quality)		
Memory (std / max)	256 MB / 512 MB plus 80 GB Hard Drive			
Processor / PDL	NA	500 MHz processor, PCL® 6/5e emulation, Adobe® PostScript® 3™ compatibility		
Connectivity	Direct connect via USB	USB 2.0, 10/100/1000 Base-TX Ethernet		
Print features	Print from USB memory drive*	Custom page size, Watermark, Secure print, Sample set, Delayed print, Cover selection, Paper selection by attribute, Toner saver, N-Up, Image rotation, Saved settings, Booklet creation, Fit to new paper size, Collation, Print to/from Hard Drive, Print from USB memory drive		
<b>Copy</b>				
First-page-out-time	4250: As fast as 7 seconds; 4260: As fast as 5 seconds			
Copy resolution	600 x 600 dpi			
Copy features	Collation, Reduce/Enlarge 25 to 400%, Book copying, Mixed-size originals, Edge erase, Image shift, Booklet creation, Covers, Lighten/darken, Transparency Separators, Multi-Up, ID Card Copy, Copy to Hard Drive, Background suppression, Poster			
<b>Fax</b>		Optional	Embedded Fax, LAN Fax, Network Server Fax enablement (optional)	
Fax features		Optional	Colour Fax send, Address Book, Polling, Mailboxes, Forward to Fax / Email, Secure Fax	
<b>Scan</b>				
Scan destinations	Scan to USB memory drive*	Scan to Email, Network Scanning, Network Scan to TWAIN/WIA applications, Scan to USB memory drive		
Scan features	NA	File formats: PDF, JPEG, TIFF, multi-page TIFF; Scan to PC Desktop® Personal Edition (includes 1 seat of PaperPort®, OmniPage®, Image Retriever), Colour Scanning		
<b>Accounting</b>	NA	Xerox Standard Accounting (tracks copy, print, scan, fax), Network Accounting enablement (optional), supports optional Xerox Alliance Partner Solutions		
<b>Security</b>	Image Overwrite Security, Secure Print via USB, Secure Fax**	Image Overwrite Security, Network Authentication, 802.1x, SNMPv3, Audit Log, HTTPS (SSL), Secure Print, Secure Fax, IPSec, Secure LDAP, IPv6, Xerox Secure Access		
<b>Warranty</b>	One-year on-site warranty***			

\* Enables standard print and scan features \*\* Enabled when Fax Kit is added

\*\*\* Products purchased under a PagePack agreement do not carry a warranty. Please refer to your service agreement for full details of your enhanced service package.

#### Device Management

CentreWare® Internet Services, CentreWare Web, HP® WebJet Admin, Tivoli, Rendezvous

#### Print Drivers

Windows® 2003 Server/XP/XP Pro, Vista, Mac OS® X 10.3+, Sun Solaris 9/10, SUSE®, Red Hat® ES, Fedora Core 4, IBM AIX 5, HP-UX 11.0/11i, Novell NetWare, SCO, Xerox Global Print Driver, Xerox Mobile Express Driver

#### Media Handling

50 - 200 gsm  
Media types: Plain paper, envelopes, transparencies, labels, card stock, postcards

#### Operating Environment

Operating: 10° to 32° C  
Storage: -20° to 40° C  
Relative humidity: 20 to 80 %  
Sound pressure levels: Printing: 54 dB(A), Standby: 39 dB(A)

Warm-up time (from power save):  
First Print: As fast as 32 seconds  
Warm-up time (from power on):  
First Print: As fast as 73 seconds (max)

#### Electrical

Power: 220–240 VAC, 50/60 Hz  
Power consumption: Standby: 111 W  
Printing: 794 W  
Power save: 20 W  
ENERGY STAR® qualified

#### What Comes In The Box

- WorkCentre 4250/4260
- Toner Cartridge (12,000 print capacity)\*
- Drum Cartridge (80,000 yield)\*\*
- Software and Documentation CD (with User Manual, Quick Installation Guide and Warranty Statement)
- Fax phone cord 4250X/4260X and 4250XF/4260XF
- Power cord

#### Certifications

FCC Part 15, Class A, FCC Part 68, Listed UL 60950-1/CSA 60950-1-03, CE Mark applicable to Directives 73/23/EEC, 89/336/EEC and 1999/5/EC, Section 508 ADA, Cerner Tested and Certified

#### Supplies and Options

Toner Cartridge (approx. 25,000)*	106R01409
Drum Cartridge (approx. 80,000 pages)**	113R00755
Maintenance Kit (200,000 pages)**	115R00064
Staple Cartridge (3 x cartridges x 5,000 staples each)	008R12941
Cabinet Stand (with storage) <sup>1</sup>	097S03677
Stand (without storage) <sup>2</sup>	097S03678

\* Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and media used.

\*\* Yield will vary depending on job run length, media size and orientation

<sup>1</sup> Requires one additional 500-sheet paper tray

<sup>2</sup> Requires three additional 500-sheet paper trays

Network Accounting Kit	098S04928
Network Fax Server Kit	098S04931
1-line Fax Kit (4250/4260) (UK/NL/BE/FR/IE)	498K18850
1-line Fax Kit (4250/4260) (FI/DK/NO/SE)	498K18860
1-line Fax Kit (4250/4260) (DE/AT/CH/IT/ES/PT/GR)	498K18870
256 MB Memory	098N02200
500-sheet Paper Tray	098N01524
2000-sheet High-Capacity Feeder	097N01684
Integrated Finisher (500-sheet, 50-sheet stapler)	097N01715
Foreign Device Interface Kit	097N01676
Xerox Secure Access Kit	
EU with HID 125KHz card reader	301N26440
EU with Magstripe card reader	301N26450
EU with Legic card reader	301N26460
EU with Mifare/HID iClass card reader	301N26470

