

# Xerox® VersaLink® C620 Color Printer



Xerox® VersaLink® C620 Color Printer is built on Xerox® ConnectKey® Technology.  
For more information, go to [ConnectKey.com](https://connectkey.com).

System Specification	
<b>Speed<sup>1</sup></b>	<b>Color and Black-and-White:</b> Up to 52/50 ppm Letter/A4 <b>Duplex Print Speed:</b> 40/38 ipm Letter/A4
<b>Monthly Duty Cycle<sup>2</sup></b>	Up to 150,000 pages
<b>Processor/Memory/ Hard Drive</b>	Quad Core 1.2GHz/2 GB system memory/32GB eMMC/ <b>Optional:</b> 500+GB HDD
<b>Connectivity</b>	Ethernet 10/100/1000 Base-T, High-speed USB 2.0 direct print, NFC; <b>Optional:</b> WiFi®/WiFi® Direct with Xerox® Wireless Network Adapter
<b>Controller Features</b>	Unified Address Book, Remote Control Panel, Configuration Cloning, Fleet Orchestrator, Configuration Watchdog, Security Dashboard
Print	
<b>Print Resolution</b>	<b>Print:</b> Up to 1200 x 1200 dpi
<b>First-Print-Out Time (as fast as)</b>	6.6 seconds color/5.6 seconds black-and-white
<b>Page Description Language</b>	Adobe® PostScript® 3™, Adobe® PDF, PCL® 5c/PCL® 6
<b>Print Features</b>	Print from USB, Print from Cloud Repositories (Dropbox, OneDrive, and Google Drive), Encrypted Secure Print, Xerox® WorkCentre® Earth Smart Driver Settings, Job Identification, Booklet Layout, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (as default), Hold All Jobs, Print Around, Print on Alternate Paper
Mobile and Cloud Ready	
<b>Universal Print Ready</b>	Microsoft Universal Print is a cloud print service, available to Microsoft 365 subscribers. It removes the need for on-site print servers and leverages the built-in drivers included in the Windows 10 and 11 PCs. You can enjoy the benefits of cloud hosting with a driverless setup for all Windows 10 and 11 clients. Utilize the Xerox Print Support App (requires installation of Xerox Print and Scan Experience) to gain access to the Xerox Print Properties user interface.
<b>Mobile Connectivity</b>	<b>Optional:</b> Wi-Fi Direct, Wi-Fi (802.11 b/g/n/ac) AirPrint (iOS) including iBeacon <sup>3</sup> (Bluetooth) for AirPrint Discovery
<b>Mobile Printing</b>	Mopria® Print, Apple® AirPrint®, Xerox® Print Service (Android), Xerox @PrintByXerox App; <b>Optional:</b> Xerox® Workplace App (iOS/Android), iBeacon <sup>3</sup> (Bluetooth) for AirPrint Discovery
<b>Mobile Apps and Xerox App Gallery</b>	Automate everyday processes with apps that translate, redact, eSign, personalize, print, convert, route, collaborate, and communicate. Visit <a href="https://xerox.com/WorkplaceApps">xerox.com/WorkplaceApps</a> to find apps by industry or workflow. Software and services: Xerox® DocuShare® Content Management Platform ( <a href="https://xerox.com/ecm">xerox.com/ecm</a> ), XMPie® ( <a href="https://xerox.com/XMPie">xerox.com/XMPie</a> ), Xerox® Workplace Solutions ( <a href="https://xerox.com/WorkplaceSolutions">xerox.com/WorkplaceSolutions</a> )

# Xerox® VersaLink® C620 Color Printer

<b>Xerox® Workplace Suite and Xerox® Workplace Cloud</b>	<b>Optional:</b> Xerox® Workplace Suite is a modular set of workflows designed to save customers time and money by providing effective control over their print fleet, while enabling worker productivity and mobility through a set of robust workflows. Xerox enables ultimate customer flexibility by offering these capabilities in both an on-premises server version (Workplace Suite) and with a cloud based-version (Workplace Cloud) of this solution
<b>Cloud Identity Provider (IdP) Integration</b>	Use your desktop, laptop, or mobile login credentials to log in to your VersaLink® MFPs with direct connections to popular cloud identity providers Okta, Ping Identity, and Microsoft® Azure
<b>Security</b>	
<b>Standard Features</b>	802.1x, IPsec, HTTPS, SFTP and Encrypted Email, Firmware Verification, Security Manager, LogRhythm SIEM integration, Splunk SIEM integration, Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, TLS1.1/1.2/1.3, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, Local Authentication (Internal Database), User Access, Port/IP/Domain Filtering, Audit Log, Access Control, User Permissions, Configuration Watchdog, Trusted Platform Module (TPM 2.0), Trusted Boot, AES 256-bit, FIPS 140-3, Job Level Encryption via HTTPS and Drivers, Signed Email, Common Criteria Certification#, Encrypted Secure Print, Immediate Image Overwrite <sup>4</sup> for optional hard disks
<b>Optional Features</b>	Xerox® Card Reader Kits, 500+GB Hard Disk, AES 256-bit, FIPS 140-3, with multi-pass Image Overwrite <sup>4</sup> , Xerox® Workplace Cloud/Suite Print Management and Content Security; learn more at <a href="http://xerox.com/WorkplaceSolutions">xerox.com/WorkplaceSolutions</a>
<b>Print Management</b>	
<b>Standard Features</b>	Xerox® Standard Accounting Feature (Print, Email), Network Accounting Enablement
<b>Optional Features</b>	Xerox® Workplace Cloud/Suite, other network accounting solutions available through various Xerox® Business Innovation Partners. Xerox® Virtual Print Management Service; learn more at <a href="http://xerox.com/PrintManagement">xerox.com/PrintManagement</a>

# Xerox® VersaLink® C620 Color Printer

## Features and Accessories



**The intuitive, tablet-like, 5-inch touch screen** allows you to personalize your experience to get more done in fewer taps. Gain access to an array of productivity boosting apps through the Xerox App Gallery.

**The 550-Sheet Tray** handles media sizes from 4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm (Includes 550-sheets standard capacity and additional 100-sheet bypass tray)

**The 100-Sheet Bypass Tray** handles media sizes from 3 x 5 in to 8.5 x 14 in/76.2 x 127 mm to 216 x 356 mm

### OPTIONAL PAPER FEEDING

#### 550-Sheet Tray

Add up to 4 additional 550-sheet trays for a total paper capacity of 2,850 sheets



### OPTIONAL ACCESSORIES

#### Wireless Network Adapter

Enables wireless connectivity and includes support for Wi-Fi Direct.

#### Printer Stand


#### 500+GB Hard Disk

#### Card Reader Kit



### XEROX® EASY ASSIST APP

Xerox Easy Assist App provides easy set up and allows you to securely manage your device on the go right from your mobile phone, with real-time monitoring of printer performance and instant access to self-support services - all without the need for any IT support. Learn more at [xerox.com/EasyAssist](http://xerox.com/EasyAssist).



Paper capacities are based on 20 lb/75 gsm stock; capacities will vary with different weight stocks.

# Xerox® VersaLink® C620 Color Printer

Device Specification		
<b>Control Panel Languages</b>	US English, International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Turkish, Greek, Russian, Czech, Polish, Hungarian, Romanian, Catalan, Arabic, Croatian, Ukrainian	
Accessories		
<b>Optional</b>	Wireless Network Adapter 500+GB HDD Unicode Font Kit	
Electrical Requirements		
<b>North America</b>	Voltage: 110–127 VAC +/-10% Frequency: 50/60Hz +/- 3%, 10A	
<b>Europe</b>	Voltage: 220–240 VAC +/-10% Frequency: 50/60Hz +/- 3%, 5A	
Power Consumption		
<b>Running (Average)</b>	Simplex 702W Duplex 581W	
<b>Standby Mode</b>	25W	
<b>Auto Off/Sleep Mode</b>	1.0W	
<b>Warm-up (from Off)</b>	116 sec	
<b>Recovery from Sleep</b>	As fast as 2.9 seconds	
<b>Typical Energy Consumption</b>	0.65kwh	
Operating Environment		
<b>Required Temperature Range</b>	50 to 90°F/10 to 32.2°C	
<b>Required Relative Humidity</b>	15 to 80% RH	
<b>Sound Power Levels</b>	Operating: 7 B(A) or less Standby: 3 B(A) or less	
<b>Sound Pressure Levels</b>	Operating: 55 db(A) or less Standby: 14 db(A) or less	
Dimensions and Weight		
	<b>Packaged</b>	<b>Unpackaged</b>
<b>Base Configuration</b>	Width: 24.6 in/625 mm Depth: 28.4 in/720 mm Height: 22.3 in/567 mm Weight: 85 lbs/38.5 kg	Width: 18.9 in/479 mm Depth: 19.2 in/489 mm Height: 16.2 in/413 mm Weight: 71 lb/32 kg
<b>550-Sheet Tray</b>	Width: 20.7 in/527 mm Depth: 22 in/558 mm Height: 8.5 in/216 mm Weight: 19.7 lb/8.9 kg	Width: 18.2 in/463 mm Depth: 19 in/483 mm Height: 4.7 in/119 mm Weight: 15 lb/6.8 kg
<b>Printer Stand</b>	Width: 20.7 in/525 mm Depth: 22.2 in/565 mm Height: 9.2 in/235 mm Weight: 37.7 lb/17.1 kg	Width: 18.2 in/463 mm Depth: 20 in/510 mm Height: 17.3 in/440 mm Weight: 32.7 lb/14.8 kg
System Certifications/Regulatory Compliance		
<b>Certifications</b>	To view the latest list of certifications, go to <a href="http://xerox.com/OfficeCertifications">xerox.com/OfficeCertifications</a>	

# Xerox® VersaLink® C620 Color Printer

Paper Handling	
<b>Bypass Tray (Standard)</b>	
<b>Capacity<sup>5</sup></b>	100 sheets
<b>Sizes</b>	<b>Custom Sizes:</b> 3 x 5 in to 8.5 x 14 in/76.2 x 127 mm to 216 x 356 mm
<b>Weights</b>	16 to 58 lb bond/60 to 218 gsm
<b>Media Types</b>	Bond Card Stock Custom Envelopes Glossy Card Stock Hole Punched Labels Letterhead Lightweight Lightweight Card Stock Lightweight Glossy Card Stock Plain Preprinted Recycled
<b>Trays 1 (Standard)</b>	
<b>Capacity<sup>5</sup></b>	550 sheets
<b>Sizes</b>	<b>Tray 1:</b> Custom Sizes: 4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm
<b>Weights</b>	16 to 58 lb bond/60 to 218 gsm
<b>Media Types</b>	Bond Card Stock Custom Envelopes Glossy Card Stock Hole Punched Labels Letterhead Lightweight Lightweight Card Stock Lightweight Glossy Card Stock Plain Preprinted Recycled
<b>Optional Paper Feeding</b>	
<b>Capacity<sup>5</sup></b>	<b>550-Sheet Tray:</b> Add up to 4 additional 550-sheet trays
<b>Sizes</b>	4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm
<b>Weights</b>	16 to 58 lb bond/60 to 218 gsm
<b>Media Types</b>	Bond Card Stock Custom Envelopes Glossy Card Stock Hole Punched Labels Letterhead Lightweight Lightweight Card Stock Lightweight Glossy Card Stock Plain Preprinted Recycled
<b>Total Capacity</b>	
<b>Device Total Capacity<sup>5</sup></b>	<b>Base Model:</b> 650 sheets <b>550-Sheet Tray:</b> Add up to 4 additional 550-sheet trays for a total capacity of 2,850 sheets <b>Paper Output:</b> 300 sheets

# Xerox® VersaLink® C620 Color Printer

Print	
<b>Resolution</b> (up to)	1200 x 1200 dpi
<b>Print Features</b>	<ul style="list-style-type: none"> <li>Application Defaults</li> <li>Banner Sheet Enable/Disable</li> <li>Booklet Layout</li> <li>Cover Selection</li> <li>Fit to New Paper Size</li> <li>Hold All Jobs</li> <li>Image Options (Resolution (Enhanced, High))</li> <li>Job Identification (Print ID or Banner, Print ID in margins on first page only or all pages)</li> <li>Layout/Watermark</li> <li>N-up (up to 16 pages per sheet)</li> <li>Paper Selection by Attribute</li> <li>Print From Cloud Repositories (Dropbox, OneDrive, and Google Drive)</li> <li>Sample Set</li> <li>Saved Job (color jobs can be printed as black-and-white)</li> <li>Secure Print with Timed Deletion</li> <li>Special Pages (exception page programming: covers, inserts, exception pages)</li> <li>Store and Recall Driver Settings</li> <li>Sustainability Features (Xerox® Earth Smart, Duplex, N-up, Turn-off Banner and Print ID, Smart Sample Set, Hold All Jobs)</li> <li>Two-sided Printing (as default)</li> <li>User Permissions</li> </ul>
<b>Print from USB</b>	<ul style="list-style-type: none"> <li>Allows walk-up printing from Type A USB port on front panel</li> <li>Supports direct printing from computer via Type B USB port</li> <li>Supported file formats: PDF, JPEG, TIFF, PS, PCL</li> <li>Color jobs can be printed as black-and-white</li> </ul>
<b>Operating Systems</b>	<ul style="list-style-type: none"> <li>For latest supported versions please visit our Drivers &amp; Downloads page and specify your device at <a href="https://support.xerox.com">support.xerox.com</a></li> <li>Windows Server 2012 and R2 (64-bit)</li> <li>Windows Server 2016 (64-bit)</li> <li>Windows Server 2019 (64-bit)</li> <li>Fedora® Core</li> <li>Ubuntu®</li> <li>Windows Server 2022 (64-bit)</li> <li>Mac OS 12 Monterey, 13 Ventura, 14 Sonoma</li> </ul>
<b>Network Protocols</b>	<ul style="list-style-type: none"> <li>TCP/IP: HTTP/HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD</li> <li>Microsoft Windows Networking over IP</li> <li>Support for Microsoft Universal Print</li> <li>Bonjour®</li> <li>AirPrint®</li> <li>Mopria®</li> <li>IPv6</li> <li>Most protocols not in use can be disabled</li> </ul>
<b>Font Capability</b>	PCL: 93 scalable fonts, line printer, and bitmap font (including Cyrillic font support) PostScript 3: 173 Type 1 fonts, 2 Multiple Master fonts
<b>Xerox® Global Print Driver®</b>	A truly universal print driver that lets IT administrators install, upgrade, and manage Xerox® Devices and non-Xerox devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls and simplifying print services management.
<b>Xerox® Pull Print Driver</b>	Makes it easy for IT managers to qualify, deploy, and manage all print devices using a single driver in a Pull Print environment. Uses a single queue and single driver. The Xerox® Pull Print Driver extends convenience across a broad range of printing assets. IT administrators no longer need to manage and configure multiple drivers. Used in conjunction with Equitrac Office®, Ysoft® SafeQ®, Pharos® and others.

# Xerox® VersaLink® C620 Color Printer

## Security

### Features

- Audit Log
- Cisco® Identity Services Engine (ISE) compatible
- Configuration Watchdog (Monitors and remediates security settings in the following areas):
  - 802.1x
  - Admin Password Reset
  - Audit Log
  - Automatic Software Upgrade
  - Email Alerts
  - FIPS 140
  - Hold All Jobs
  - Immediate Job Overwrite<sup>4</sup>
  - Installation Policies
  - PII - Login Name
  - PostScript Passwords
  - Remote Services Enablement
  - Remote Start (TWAIN)
  - Reprint Saved Jobs
  - Scheduled Disk Overwrite<sup>4</sup>
  - Secure Print Device Policies
  - SIEM
  - SNMP
  - System Timeout
  - USB (Print from USB)
  - USB Port Management
  - User Data Encryption
- Expanded Authentication
  - Digitally signed PDF (when using Smart Card authentication)
  - Encrypted/Password Protected PDF (when using Email Templates only)
  - FIPS 140 256 bit Hard Disk Encryption<sup>4</sup>, TLS 1.1/1.2/1.3, IPPS, HTTPS, SFTP, SNMPv3
  - Immediate Image Overwrite/Securely delete jobs using approved algorithms<sup>4</sup>
  - Local Authentication (internal database)
  - Network authentication to access device and/or device services via Kerberos (UNIX/Windows Server 2008), SMB (Windows Server 2008, Windows server 2012), NDS, LDAP authentication
  - On Demand Image Overwrite (Scheduled, Manual), includes sanitation of unused area of disk<sup>4</sup>
  - Smart Card authentication – 144k CAC/PIV Card Support (2048 bit certificate key)/.NET
  - Secure Data
  - Secure Print (up to 10 digit PIN or Network Authentication)
- Expanded Authorization
  - Authorization per user per service
  - SA access based on network credentials
  - Secure Network Access
  - User Permissions required to access Print and Print Features (e.g., color access, or time restrictions) reflects in the print driver
- Hide Print Job Names
- IP Filter, IPsec, IPv6, TLS V1.0, V1.2, V1.3, SNMP V1/V2/V3, HTTPS, 802.1X, SFTP
- Port disablement including USB ports,
- LogRhythm SIEM integration
- Splunk SIEM integration

# Xerox® VersaLink® C620 Color Printer

Device Management	
<b>Administrative Protocols</b>	DHCP, BOOTP, SNMP, SLP® v2, HTTP, HTTPS, AutoIP (Self Assigned Address)/DHCP Autonet, TLS, NTP, DNS, SMB, SMTP/POP3, WSD, LDAP, Multicast DNS, Bonjour
<b>Management Support</b>	SNMP Version 1, SNMP Version 2c and SNMP Version 3 trap over TCP/IP and IP MIB access (IETF-MIBII RFC 1213) Host Resources MIB RFC 2790, Printer MIB RFC 3805, PWG-Imaging-System-Power MIB, Fleet Orchestrator, Configuration Watchdog
<b>Xerox® Easy Assist App</b>	Xerox Easy Assist App provides easy set up and allows you to securely manage your device on the go right from your mobile phone, with real-time monitoring of printer performance and instant access to self-support services — all without the need for any IT support. Learn more at <a href="http://xerox.com/EasyAssist">xerox.com/EasyAssist</a>
<b>Xerox® CentreWare® Web Software</b>	A Web-based server application for network administrators that permits Web browser-based device management from any workstation, whether running on Windows, UNIX, or any other operating system: <ul style="list-style-type: none"> <li>• Works with any SNMP-managed printer from any manufacturer</li> <li>• Remote configuration of SNMP v3</li> <li>• Provides help with device discovery and installation, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management</li> <li>• Auto-detect Xerox® CentreWare® Web server and download configurations files for touchless remote install</li> </ul>
<b>Xerox® Device Manager</b>	Xerox® Device Manager collects and manages the data that drives fact-based decisions for your enterprise device management environment. It is a single tool to install print queues and configure, manage, monitor, and report on both networked and locally connected devices – regardless of vendor – across your enterprise. Xerox® Device Manager provides: <ul style="list-style-type: none"> <li>• Device monitoring and troubleshooting</li> <li>• Remote configuration of SNMP v3</li> <li>• Extensive reporting and discovery of new devices</li> <li>• Usage collection, chargeback, and billing capabilities</li> <li>• Auto-detect Xerox® Device Manager server and download configurations files for touchless remote install</li> </ul>
<b>Xerox® Workplace Cloud</b>	Remote management to set and audit device configuration data with Xerox® Workplace Cloud, eliminating the need for an on-site server
<b>Fleet Orchestrator</b>	Fleet Orchestrator feature offers the ability to create a group of devices that share information with each other via a secure peer-to-peer connection. The following data can be shared: Software update files, clone files, and 1-Touch App files. Auto-assembly feature allows a new VersaLink® to automatically set itself up on the network to be automatically configured
<b>Xerox® Device Types for SAP Environment</b>	Xerox, together with SAP through our Gold-level membership in the SAP Printer Vendor Program, provides seamless connectivity between SAP systems and your Xerox® Printers and Multifunction Printers. As an SAP customer, you benefit from having SAP-certified Xerox® Device types available right from SAP's online delivery model. SAP-certified device types for Xerox® Printers and Multifunction Printers are available to download. <a href="http://office.xerox.com/Software-Solutions">office.xerox.com/Software-Solutions</a>
<b>Xerox® Device Types for SAP R/3 Intelligent Barcode Utility (optional)</b>	Provides built-in process intelligence that allows the printing of barcodes on any appropriately configured PostScript printer in specific versions of SAP environment and within Latin-1 (ISO8859-1) SAP system code pages only. Used in conjunction with Xerox® PostScript Device Types for SAP environment and Xerox® Font Center Barcode Fonts. Information available at <a href="http://office.xerox.com/Software-Solutions">office.xerox.com/Software-Solutions</a>
Xerox® Embedded Web Server – Integrated Device Web Pages Provided by the Device	
<b>Device Status</b>	Web server embedded in Network Controller: <ul style="list-style-type: none"> <li>• Tray status/contents</li> <li>• Consumables status</li> <li>• Alerts</li> <li>• Remote Control Panel</li> </ul>
<b>Job Submission</b>	Print-ready files: PS, PCL, TIFF, PDF, JPEG, TXT, PRN Output feature selection (2-sided, output color, collate, orientation, output destination) Delivery options (Immediate, sample set, delay, secure, save job for reprint)
<b>Device Administration</b>	Allows simple, remote installation setting of configuration options and management of the device, Fleet Orchestrator
<b>Browsers</b>	Brave Browser Chrome Microsoft Edge Mozilla Firefox Opera Safari
<b>Support</b>	Install print drivers and online support available via <a href="http://support.xerox.com">support.xerox.com</a>
<b>Languages Supported</b>	International English, International French, Italian, German, International Spanish, Dutch, Brazilian Portuguese, Swedish, Norwegian, Danish, Finnish, Russian, Simplified Chinese, Korean, Japanese, Arabic, Croatian, Ukrainian
Remote Services	
<b>Automatic Meter Readings (AMR)</b>	Automates the process of collecting and submitting meter reads for tracking and billing of Xerox® Device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time
<b>Automatic Supplies Replenishment (ASR)</b>	Automatically orders supplies for Xerox® Devices based on actual usage, eliminating the need to manually manage supplies inventory
<b>Workplace Cloud Direct</b>	Embedded device agent technology allows your printer to connect directly with Xerox Workplace Cloud for a zero network footprint offering a 'true' cloud-only Print Management and Mobile solution.
Accounting	
Xerox® Standard Accounting Feature	
<b>Tracking</b>	Print, Email usage
<b>Accounting</b>	Up to 2,495 User Accounts (User ID) Up to 500 General Accounts (Client) Up to 498 Group Accounts (Department)
<b>Features</b>	Administrator can manage the feature via the Web User Interface or device control panel in tools Administrator has the ability to import or export User Accounts, Group Accounts, General Accounts, and User Limits via an industry standard CSV file



# Xerox® VersaLink® C620 Color Printer

Accounting (continued)	
Accounting Options – Network Accounting (Allows central server to manage all accounting)	
	Enhanced network accounting with up-to-the-minute data on how the system is being used Comprehensive management and enterprise-scale tracking and reporting of device usage of print Numerous solutions are available through Xerox Alliance Partners. For details, visit <a href="http://xerox.com">xerox.com</a> Security enhancements with the addition of HTTPS protocol support Device requests account authentication from third-party server enabling larger databases of users and accounts Accept Authentication Login at control panel and pass to third-party Networking Account Interface with third-party accounting terminal for accounting user interface
Installation Considerations	
<b>Clear area around the device is necessary for access and ventilation.</b>	Top: 10 in/254 mm Rear: 4 in/102 mm Left: 6 in/152 mm Right: 20 in/508 mm Front: 20 in/508 mm
What's In The Box	
<b>All items contained in the box:</b>	VersaLink® C620 Color Printer AC Power Cord Installation Guide Product Information Flyer Product Safety Sheet Software Update Flyer Software and Documentation CD CMY Print Cartridges: 7,000 page capacity <sup>6</sup> K Print Cartridge: 8,000 page capacity <sup>6</sup>

Xerox® Supplies and Accessories	North America and Europe*	All other regions
<b>Genuine Xerox Black Standard Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (8,000 Pages)<sup>6</sup></b>	006R04616	006R04620
<b>Genuine Xerox Cyan Standard Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (6,000 Pages)<sup>6</sup></b>	006R04617	006R04621
<b>Genuine Xerox Magenta Standard Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (6,000 Pages)<sup>6</sup></b>	006R04618	006R04622
<b>Genuine Xerox Yellow Standard Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (6,000 Pages)<sup>6</sup></b>	006R04619	006R04623
<b>Genuine Xerox Black High Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (20,000 Pages)<sup>6</sup></b>	006R04624	006R04632
<b>Genuine Xerox Cyan High Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (12,000 Pages)<sup>6</sup></b>	006R04625	006R04633
<b>Genuine Xerox Magenta High Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (12,000 Pages)<sup>6</sup></b>	006R04626	006R04634
<b>Genuine Xerox Yellow High Capacity Toner Cartridge, Xerox® VersaLink® C620 Color Printer (12,000 Pages)<sup>6</sup></b>	006R04627	006R04635
<b>Genuine Xerox Waste Toner Bottle, Xerox® VersaLink® C620 Color Printer (170,000 Pages)<sup>7</sup></b>	008R13334	008R13334
<b>Genuine Xerox Black Imaging Kit, Xerox® VersaLink® C620 Color Printer (150,000 Pages)<sup>8</sup></b>	013R00697	013R00697
<b>Genuine Xerox 3 Color Imaging Kit, Xerox® VersaLink® C620 Color Printer (150,000 Pages)<sup>8</sup></b>	013R00698	013R00698
Optional Accessories		
<b>550-Sheet Tray</b>	097N02441	
<b>500+GB Hard Disk</b>	097N02443	
<b>Wireless Network Adapter</b>	097N02470	
<b>Xerox Printer Stand</b>	097S05244	

\* North America (NA): U.S., Canada  
Europe (XE): U.K., France, Germany, Spain, Italy, Netherlands, Belgium, Norway, Sweden, Finland, Denmark, Iceland, Luxembourg, Austria, Switzerland, Portugal, Ireland Andorra, Azores, Corsica, Greenland, Iceland, Lichtenstein, Luxembourg, Madeira, San Marino  
<sup>6</sup> Currently undergoing evaluation

<sup>1</sup> Declared in accordance with ISO/IEC 24734.  
<sup>2</sup> Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.  
<sup>3</sup> Wireless Network Adapter is required for iBeacon.

<sup>4</sup> Requires 500+GB Hard Disk.  
<sup>5</sup> Paper capacities are based on 20 lb/75 gsm stock; capacities will vary with different weight stocks.  
<sup>6</sup> Average standard pages. Declared in accordance with ISO/IEC 19798. Toner yield can vary due to many factors, including but not limited to, image area coverage, image content, media size, media orientation, run mode, application types, monthly print volumes, and image quality set-points.  
<sup>7</sup> Waste Toner Container yield will vary depending on type of image, area coverage %, and Job run length.  
<sup>8</sup> Average drum yield is based on a run length of 5 pages of 8.5 x 11 in/A4 LEF pages, with split of 35% color/65% black-and-white pages.

Return spent imaging supplies through the Xerox® Green World Alliance® collection/reuse/recycling program. Visit [xerox.com/About-Xerox/Recycling](http://xerox.com/About-Xerox/Recycling).

For more information, visit us at [xerox.com/Office](http://xerox.com/Office).

